



Monitoring report form (Version 03.1)

Monitoring report

Title of the project activity	Reduction of N ₂ O emissions from the new nitric acid plant #5 of Hu-Chems Fine Chemical Corp.
Reference number of the project activity	6637
Version number of the monitoring report	Version 1
Completion date of the monitoring report	11/09/2013
Registration date of the project activity	17/07/2012
Monitoring period number and duration of this monitoring period	Monitoring period number: 1 Duration: 25/02/2013 – 31/08/2013
Project participant(s)	CARBON CDM Korea Ltd. Hu-Chems Fine Chemical Corp.
Host Party(ies)	Republic of Korea
Sectoral scope(s) and applied methodology(ies)	Sectoral scope 5: Chemical industries Applied methodology: ACM0019 Version 1 ("N ₂ O abatement from nitric acid production")
Estimated amount of GHG emission reductions or net anthropogenic GHG removals by sinks for this monitoring period in the registered PDD	Estimation of emission reductions (whole year 2013): 421,789 tCO ₂ e ➔ Monitoring period (188 days): 217,250 tCO ₂ e
Actual GHG emission reductions or net anthropogenic GHG removals by sinks achieved in this monitoring period	Monitoring period (188 days): 230,916 tCO ₂ e

SECTION A. Description of project activity

A.1. Purpose and general description of project activity

>>

- (a) Hu-Chems has implemented a project for GHG emission reduction by catalytic N₂O destruction in Yeosu, Republic of Korea. The project is categorized as large scale project under sectoral scope 5: "Chemical Industry". The Host Party for the project activity is the Republic of Korea. The Project Activity includes development, design, engineering, procurement, finance, construction, operation and maintenance of a system for catalytic decomposition of N₂O in the Nitric Acid Plant #5 at Hu-Chems Fine Chemical Corp.
- (b) In this project, Hu-Chems installed an EnviNOx® system for catalytic decomposition of NO_x and N₂O additionally to the equipment at the nitric acid manufacturing plant. The project activity reduces the GHG emissions, which would otherwise be released to the atmosphere, if the project was not implemented.
The EnviNOx® process used in the #5 nitric acid plant is based on the catalytic decomposition of nitrous oxide (N₂O) and the catalytic reduction of NO_x (NO and NO₂) with ammonia (NH₃). This process works very well at temperatures above about 425°C. The reactions take place over two iron zeolite catalyst beds.
- (c) The EnviNOx® system at Hu-Chems #5 nitric acid plant was installed in February 2013 and the catalytic reduction process of N₂O started in the end of February 2013.
- (d) Total emission reductions achieved in this monitoring period: **230,916 tCO₂e**

A.2. Location of project activity

>>

Country: Republic of Korea

Province: Jeollanam-do

Town: Yeosu, 7-6, Wollae-dong

Unique geographic coordinates:

- Longitude: 127.74158 E
- Latitude: 34.84583 N



Address : (Zip code : 595-980) 7-6 Wollae-dong, Yeosu City, Jeollanam-do
Phone : 82-61-660-4600
FAX : 82-61-660-4539



A.3. Parties and project participant(s)

Party involved (host) indicates a host Party)	Private and/or public entity(ies) project participants (as applicable)	Indicate if the Party involved wishes to be considered as project participant (Yes/No)
Republic of Korea (Host)	CARBON CDM Korea Ltd. Hu-Chems Fine Chemical Corp.	No

Hu-Chems Fine Chemical Corp. (furthermore called “Hu-Chems”), an entity registered under the laws of the Republic of Korea. Hu-Chems was established by separating from Nam-Hae chemical corporation in 2002 and is listed on the Korean Stock Exchange, KOSPI200, item code 069260, since September 17, 2002. Hu-Chems operates several production units which produce fine chemical products in its industrial complex in Yeosu whereas the company’s headquarter is in Seoul. Hu-Chems is active in major business areas, which are fine chemical products (Nitric acid, Dinitrotoluene, Mononitrobenzene, Ammonium nitrate, etc.). The products are provided to major-chemical companies in the Republic of Korea as well as to world-wide major chemical companies like BASF and Rhodia on long term off-take contract basis.

Hu-Chems is ISO 9002 and ISO 14001 certified and received the Korean safety and health management system certificate (KGS18001 & OHSAS18001). The company has received the Grand Prize of Korea Valuable Management Award in 2005, the President of Korea’s medal in Energy Saving Promote Contest as well as the Korean Marketing Best Award (KMAC) in 2004, as well as other awards.

The project activity has been implemented in the nitric acid plant #5 and, along with the CDM monitoring equipment it has been included in the established quality management system.

CARBON CDM Korea Ltd. (furthermore called “CARBON”). CARBON CDM KOREA Ltd. is registered under the laws of the Republic of Korea. The company is a subsidiary of CARBON Projektentwicklung GmbH, Austria, and RWE Power AG, Germany. CARBON Projektentwicklung GmbH was founded as a limited liability company located and registered in Austria under Austrian law in order to develop, finance and operate high quality JI/CDM Projects. CARBON Projektentwicklung GmbH has vast experience with CDM-Project development in Africa, Latin America and Asia and is specialized on the catalytic N₂O destruction in the tail gas of nitric acid plants. It has initially developed the methodology for destruction of N₂O in the tail gas of nitric acid plants (AM0028) and has implemented such projects in Egypt, the Republic of Korea and the Republic of Chile. Furthermore, it has contributed to the consolidated methodology for N₂O abatement in from nitric acid production (ACM0019).

Host Country is the Republic of Korea. The Republic of Korea ratified the Kyoto Protocol in November 2002.

A.4. Reference of applied methodology

>>

Applied Baseline and Monitoring methodology:

ACM0019, Version 1: “N₂O abatement from nitric acid production”¹

The methodology also refers to the “Tool to determine the mass flow of a greenhouse gas in a gaseous stream” in its latest version, thus the tool is applied in this project activity (Version 2.0.0).

Furthermore, the applied methodology refers to the “Tool to calculate project or leakage CO₂ emissions from fossil fuel combustion” in its latest version, however since no fossil fuels are used in the project activity, it is neglected and not anymore mentioned.

A.5. Crediting period of project activity

>>

Type of crediting period:	Fixed
Starting date of the crediting period:	25/02/2013 (changed from 01/09/2012)
End date of the crediting period:	24/02/2023
Length of the first crediting period:	10 years

¹<http://cdm.unfccc.int/methodologies/DB/GYXZY5ONUHEKMD9MCWY52YTTKOWZ3P>


SECTION B. Implementation of project activity**B.1. Description of implemented registered project activity**

>>



(a) Description of the installed technology, technical processes and equipment**General Introduction**

Nitrous oxide (N₂O) is an unwanted, invisible and previously neglected by-product of the manufacture of nitric acid. It is formed alongside the main, desired product nitric oxide (NO) during the catalytic oxidation of ammonia in air over noble metal gauzes. The production of nitric acid takes place in three main process steps as indicated by the following reactions:

1. Ammonia (NH₃) combustion to form nitric oxide (NO)²:




Simultaneously nitrous oxide (N₂O), nitrogen (N) and water (H₂O) are formed as well, in accordance with the following equations:




NO yield mainly depends on pressure and temperature in the ammonia oxidation process and is usually in a range of 95% to 97%.

2. NO is oxidised to nitrogen dioxide (NO₂):



3. (According to the technical process) Absorption of NO₂ in water to form nitric acid (HNO₃):




When leaving the ammonia oxidation reactor, there is no relevant loss of N₂O in the tail gas section unless a N₂O destruction facility is installed. N₂O that leaves the ammonia oxidation reactor is thus discharged to atmosphere in the tail gas and has no economic value.



Project Specific description:Principles of the EnviNOx® process in plant Hu-Chems #5:

The EnviNOx® process used in the Hu-Chems #5 nitric acid plant is based on the catalytic decomposition of nitrous oxide (N₂O) and the catalytic reduction of NO_x (NO and NO₂) with ammonia (NH₃). Catalytic decomposition of N₂O occurs when the N₂O is split into its constituent elements by contact with a catalyst. A catalyst is a material which accelerates the speed of the reaction without itself being transformed or consumed by the reaction. This process works well at temperatures above about 425°C.


The reactions take place over two iron zeolite catalyst beds. In the first bed N₂O is catalytically decomposed into its elements:



This rate of this reaction is enhanced by high concentrations of NO_x. Before the tail gas enters the second catalyst bed, a small quantity of ammonia vapour is added. In the second bed a large part of the NO_x is reduced with ammonia according to such reactions as:



² Ammonia is reacted with air on noble metal catalyst in the oxidation section of nitric acid plants. Nitric oxide and water are formed in this process according to the above mentioned main equation.



Some further destruction of N_2O also occurs. All the above reactions are exothermic and cause a temperature rise over the EnviNOx® reactor. The consumption of ammonia corresponds to the stoichiometric ratio given in the reaction equations above and does not differ significantly from the consumption of a conventional DeNOx unit.

Technology employed by the project activity:

In this project, Hu-Chems installed an EnviNOx® system for catalytic decomposition of NO_x and N_2O additionally to the equipment at the #5 nitric acid manufacturing plant. The project activity reduces the GHG emissions, which would otherwise be released to the atmosphere, if the project was not implemented.

Location of the EnviNOx®-System:

The EnviNOx® system is located in the tail gas stream at the position with the highest tail gas temperature in the nitric acid production process.




Figure 1: Project boundary

(b) Implementation status of the project activity during this monitoring period

The project has been fully implemented and is operated as per the registered PDD with all physical features (technology, project equipment, and monitoring and metering equipment) in place, monitoring is done according to the applied methodology (ACM0019v1) and the monitoring plan.

The EnviNOx® system at the nitric acid plant Hu-Chems#5 was installed in February 2013 and the starting date of normal operation of the project activity was 25/02/2013.

(c) Actual operation of the Project Activity during the covered monitoring period

Downtimes of the EnviNOx® System

In this monitoring period, no downtimes of the EnviNOx system (and, respectively, the nitric acid plant) have occurred.

Relevant observations during the monitoring period

During the below mentioned periods, observations related to the operation of the EnviNOx® system and the AMS have been made.

- Between 26/03/2013 at 10:00 and 09/04/2013 at 11:00, the QAL3 results (as per EN 14181) for the parameter $v_{t,db}$ (Volumetric fraction of N_2O in the gaseous stream) were modestly out of tolerance. The physical condition of the analyser was good at any time (as confirmed by respective

maintenance records by Emerson Korea), however, the QAL3 result with the maximum observed surplus over the tolerance has been conservatively added in determining $V_{i,t,db}$;

- On 18/07/2013, between 14:00 and 15:00, no data were recorded due to scheduled service works in the system, as part of regular services by Emerson Korea. No emission reductions have been claimed during this hour;
- On 08/08/2013, between 14:00 and 18:00, engineers from Hu-Chems have performed a regular calibration of the stack gas pressure transmitter. Due to the extended length of the procedure, the recorded values for the parameters $V_{t,db}$ (Volumetric flow of the gaseous stream) and P_t (Pressure of the gaseous stream) have been influenced over these hours. Consequently, maximum values of the monitoring period have been conservatively applied instead.

During the mentioned periods, the nitric acid plant as well as the EnviNOx® system were in normal operation. The described corrections (as per the methodology as well as relevant standards) of data has been applied conservatively, leading to a potential underestimation of achieved emission reductions.

Calibration and Maintenance

The maintenance methods and procedures as well as the calibration scheme for monitoring instruments used for CDM Monitoring have been incorporated as part of the ISO 9001 procedures, and form an integral part of the systems and procedures of HU-CHEMS. QA/QC of monitoring equipment is in full compliance with the monitoring methodology and the monitoring plan of the registered PDD. Detailed information on exchange and/or calibration of instruments is mentioned under section D – 2.

As further pointed out in section C – 3, Carbon CDM Korea has contracted Emerson Process Management Korea to execute monthly on-site **Health Checks** and quarterly on-site **Inspection Visits**. System components, sampling system, analysers/measurement devices and the automated monitoring system required for the monitoring of the CDM project are covered by these contracts.

Regular health check and inspection visit services, respectively, have been conducted by Emerson Process Management Korea in February 2013, March 2013, April 2013, May 2013, June 2013, July 2013 and August 2013 and attest good condition and availability of the system (i.e. Sampling system, analyser as well as AMS hard- and software and total DeltaV DCS System).

Records of conducted maintenance activities and other performed services related to calibration and maintenance are available and submitted to the DOE for verification.

(d) Situations with impact on the applicability of the methodology

No such situations occurred during the covered monitoring period

B.2. Post registration changes

B.2.1. Temporary deviations from registered monitoring plan or applied methodology

>>

No such temporary deviations have applied to this monitoring period neither to any previous monitoring periods.

B.2.2. Corrections

>>

No such corrections have applied to this monitoring period neither to any previous monitoring periods.

B.2.3. Permanent changes from registered monitoring plan or applied methodology

>>

No such permanent changes have applied to this monitoring period.

B.2.4. Changes to project design of registered project activity

>>

No such changes have applied to this monitoring period neither to any previous monitoring periods.

B.2.5. Changes to start date of crediting period

>>

The starting date of the crediting period has been changed from 01/09/2012 (indicated date in the PDD) to 25/02/2013 (start of regular operation of the EnviNOx® system).

B.2.6. Types of changes specific to afforestation or reforestation project activity

>>

Not applicable to this project activity

SECTION C. Description of monitoring system

1. >> Information flow


The instruments transmitters continuously provide a 4 - 20 mA analogue signal according to range and units configured. These signals are transmitted to I/O cards (analogue input/output cards) and collected by the DeltaV Processor. Resulting digital values are made available in the network to be further processed (e.g. in controller blocks, calculation of other variables) and are stored as raw data in the protected continuous historian server (CHS).

Modifications of the Delta V, which are protected by security levels by the supplier, are tracked by a Version Control Tool.

The reporting module of the DeltaV system automatically generates aggregated daily reports based on the stored raw data from the continuous historian server. Daily reports contain following kinds of data relevant for calculation of claimed emission reductions:

- Nitric acid production ($P_{NA,n}$)
- Operating parameter of the nitric acid plant (NH_3 flow to AOR for determining h_n)
- Volumetric flow, temperature and pressure of the tail gas stream ($V_{t,db}$, T_t , P_t)
- Volumetric fraction of N_2O in the tail gas stream ($v_{i,t,db}$)

Relevant parameters as mentioned above are exported from the digitally available daily reports to an excel book (available as *Annex* to this monitoring report) for presentation of required parameters and calculation of baseline emissions, project emissions and emission reductions according to formulae as required. Details on source of data of all relevant parameters can be found directly in the respective parameter tables in *Section D*.



The description of the information flow (including data generation, aggregation, recording, calculation and reporting) fully complies with the applied methodology (ACM0019, Version 1), the registered PDD and the Monitoring Plan.


2. Roles and responsibilities of personnel

Project Operator is Hu-Chems Fine Chemical Corp. (HU-CHEMS). HU-CHEMS operates several production units which produce fine chemical products. HU-CHEMS is ISO 9001 and 14001 certified and received the Korean safety and health management system certificate (KGS18001 & OHSAS18001). The company has received the Grand Prize of Korea Valuable Management Award in 2005, the President of Korea's medal in an Energy Saving Promote Contest as well as the Korean Marketing Best Award (KMAC) in 2004 as well as other awards.


The operating and maintenance personal of the EnviNOx® system have been trained by the technology provider UHDE and the supplier of the digital process control system (Delta V, M/s. process management), further Hu-Chems has established internal training plans on the CDM procedures, operation of the EnviNOx® system and the monitoring system to train staffs who are assigned to the project during the crediting period. Training records are available and submitted to the DOE for verification.

Carbon CDM Korea is responsible for reporting of data under the CDM Project. In terms of performing general supervision and cross-checks of monitoring and reporting data Carbon Austria supports Carbon CDM Korea. Furthermore, Carbon Austria assists Carbon CDM Korea in preparing the CDM-MR and provides additional double-checking of data and information. Carbon Austria gives their final approval on the supporting documents as well as the CDM-MR before submitting to the respective DOE for verification.

Hu-Chems Organisational & Responsibility Diagram



CDM Project: Involved entities & Project responsibilities



3. Back up plans / Emergency procedures for monitoring system

Back Up Plans for measuring systems / Periodically observation of the automated monitoring system

EnviNOx® – Automatic DCS system:

The EnviNOx® system is designed for automatic operation, so that activities by the operation personnel are not required during normal operation. However, all alarms and any action taken by the operating personnel (events) are automatically logged at the computer station (Alarm & Event List) of the DCS system. All log sheets for **Alarm & Events** are exported and therefore digital available (Excel Files) and can be analysed and evaluated.

Malfunction of system components is indicated on the operator console in the control room as an alarm. Occurrence of such an alarm requires the operator to immediately take measures to remedy the problem. This is done by informing Hu-Chems instrument department and Carbon CDM Korea. It is then deciding whether the problem can be fixed immediately by themselves, or whether external support from Emerson Korea/Emerson Germany/Uhde is required.

Back Up – Regular on-site inspection:

In addition to the automatic error indication by the automatic DCS system, the project operator Hu-Chems is carrying out visual **on-site analyser cabinet inspections** as well as related installations on a shift basis (3 times daily). Relevant data related to the analyser and sampling system are logged on the ISO Document HCSEF-448-1 "CDM Analyzer/Reactor Check List". Actions are defined in case of abnormal observations.

Further, Hu-Chems is carrying out a **visual on-site check of the EnviNOx® reactor and tail gas line** as well as related installations once per day. Relevant data are logged on the ISO Document HCSEF-448-1 "CDM Analyzer/Reactor Check List". Actions are defined in case of abnormal observations.

Back Up – System support & Preventive maintenance: DeltaV

The DeltaV automatic measuring system (AMS) used for plant operation & CDM Monitoring was designed by the company Emerson, the main supplier of components related to the monitoring system.

In order to ensure maximum availability of the DeltaV automatic measuring system and to prevent deficient handling of data, Hu-Chems has contracted Emerson Process Management Korea to execute **monthly** on-

site **Health Checks** and **quarterly** on-site **Inspection Visits**. Furthermore a **24 hours emergency service** and the **24 hours DeltaV Guardian Support** are covered by the contract. The contracted services comprise error diagnostics, measures for system stability, updates as well as preventive maintenance for the DeltaV System and related technical components. Health check reports and inspection visit reports are available and submitted to the DOE for verification.

Back Up – Support & Preventive maintenance: EnviNOx®-System/Analyser, Instruments

Main instruments for CDM Monitoring (i.e. Sampling system and the continuously measuring non-dispersive-infrared (NDIR) analyser used for N₂O detection as well as further instruments) were designed and supplied by the company Emerson Process Management, the main supplier of components related to the monitoring system.

In order to enable high levels of availability and accuracy of instruments, Hu-Chems has contracted Emerson Process Management Korea to execute **monthly** on-site **Health Checks** and **quarterly** on-site **Inspection Visits**. Furthermore a **24 hours emergency service** is covered by the contract. The contracted regular, services comprise error diagnostics of analysers, component updates of the analysers and the sampling system, in-depth inspections of analysers and the sampling system as well as preventive maintenance services for the analysers, the sampling system and technical components/instruments of the CDM Monitoring System. The contract was coming into force after the start-up period of the project activity. Exception handling for CDM Monitoring Instruments is covered by the 24 hours emergency service with guaranteed short-term on-site availability of Emerson experts. Health check reports and inspection visit reports are available and submitted to the DOE for verification.

Supervision is done based on the daily reports by the technology provider Uhde and Emerson.

Back Up – Calibration and General Maintenance: Instruments

In order to safeguard availability and accuracy of instruments, Carbon CDM Korea has mandated Emerson Process Management Korea to execute **regular calibration services** and **regular general maintenance services** for all related monitoring instruments on a regular basis (adapted to the annual shut-down and maintenance schedule of the nitric acid plant). The service inter alia consists, besides calibrations, of hardware and connection maintenance as well as software checks and error diagnostics. Service reports of performed services and calibration records are submitted to the DOE for verification.

Back Up – On-site spare part stock:

As further important contribution to the availability of the monitoring system (e.g. in the event of failure of the measuring equipment), Hu-Chems stores a comprehensive range of spare parts at the project site. The types and amount of stored spare parts meet the recommendations of the supplier. The majority of spare part types are re-purchased after consumption, some other spare part types are re-purchased after their stock has reached a defined reorder level, in both cases Hu-Chems is following the recommendation of the supplier.

The spare part stock includes inter alia filter elements, valves and pressure controllers for the sample handling system and filter elements, analysis cells (crucial part for analyzers), flow sensors and several electrical parts for the analyzers. An overview on available parts is made available to the DOE for verification.

Back Up – Certified standard gases

Pressure levels of standard gases used for the regular, automatic calibration of the analyser are constantly monitored during the regular on-site inspection. Spare bottles of test gases are purchased in proper time. Specifications and certification of test gases are made available to the DOE for verification.

Back Up – Procedures:

In addition to the quality control and quality assurance procedures according to the Hu-Chems quality management system and in order to avoid possible failures of the automated monitoring system, procedures are implemented for the project activity. The approach was to ensure immediate response to such special events in the system.

The following table summarizes the periodical observations of the AMS.

Periodical observation of the AMS

Organization	Action	Frequency	Output
DeltaV	Events & Alarm List	Continuously	Txt-files, Excel files
Hu-Chems	Shift Inspection	3 times per day	Protocol/Check List
Hu-Chems	Daily Inspection	Daily	Protocol/Check List
UHDE	Supervision	Daily	Plausibility check of daily reporting
Emerson Process Management Korea (EPMK)	Health check of AMS System (Hardware & Software)	Monthly	Health Check Report
EPMK	Health Check of Sampling & Analyser system	Monthly	Health Check Report
EPMK	Inspection check of AMS System (Hardware & Software)	Quarterly	Inspection Check Report
EPMK	Inspection check of Sampling & Analyser system	Quarterly	Inspection Check Report
EPMK	General Maintenance & Calibration Service of instruments	Regularly, adopted to annual shut-down schedule of the plant	Service Reports & Calibration records

All resulting documents are analysed and evaluated by Hu-Chems under support of Carbon CDM Korea and Carbon Austria. In case of any upcoming problem or failure of the EnviNOx® system and/or the automated monitoring system Hu-Chems immediately takes measure to remedy the problem. The provider of the automated monitoring system is available 24 hours a day via Hotline. Furthermore Emerson Korea is committed to be onsite within 24 hours.

4. Systematic measures for QA for monitoring data during AMS down times

In order to ensure data quality, back up plans (see above) are in place. In case of (scheduled or unscheduled) AMS down times (or parts thereof, such as analyser, etc.), demonstration of normal plant operation and estimation of emission reductions are conservatively conducted according to the methodology and the monitoring plan. Related data and documents are provided to the DOE for verification, if applicable in the covered monitoring period.

SECTION D. Data and parameters**D.1. Data and parameters fixed ex ante or at renewal of crediting period**

Data/Parameter:	EF_{default,y}																												
Unit:	kgN ₂ O/tHNO ₃																												
Description:	Default N ₂ O baseline emissions factor in the calendar year y of the monitoring period n																												
Source of data:	According to the PDD / ACM0019 (Version 1)																												
Value(s) applied:	3.70 kgN₂O/tHNO₃ (for the year 2013)																												
Purpose of data:	Calculation of baseline emissions																												
Additional comment:	<p>The default N₂O baseline emission factor will vary every year. For the year 2005 the emission factor has been 5.1 and since then decrease every year until it reaches a final value of 2.5 in the year 2020. The value of 2.5 will remain constant after 2020.</p> <table border="1"> <thead> <tr> <th>Year</th><th>Emission factor (kgN₂O/HNO₃)</th></tr> </thead> <tbody> <tr><td>2012</td><td>3.90</td></tr> <tr><td>2013</td><td>3.70</td></tr> <tr><td>2014</td><td>3.50</td></tr> <tr><td>2015</td><td>3.40</td></tr> <tr><td>2016</td><td>3.20</td></tr> <tr><td>2017</td><td>3.00</td></tr> <tr><td>2018</td><td>2.80</td></tr> <tr><td>2019</td><td>2.70</td></tr> <tr><td>2020</td><td>2.50</td></tr> <tr><td>2021</td><td>2.50</td></tr> <tr><td>2022</td><td>2.50</td></tr> <tr><td>...</td><td>...</td></tr> <tr><td>Year n</td><td>2.50</td></tr> </tbody> </table>	Year	Emission factor (kgN ₂ O/HNO ₃)	2012	3.90	2013	3.70	2014	3.50	2015	3.40	2016	3.20	2017	3.00	2018	2.80	2019	2.70	2020	2.50	2021	2.50	2022	2.50	Year n	2.50
Year	Emission factor (kgN ₂ O/HNO ₃)																												
2012	3.90																												
2013	3.70																												
2014	3.50																												
2015	3.40																												
2016	3.20																												
2017	3.00																												
2018	2.80																												
2019	2.70																												
2020	2.50																												
2021	2.50																												
2022	2.50																												
...	...																												
Year n	2.50																												

Data/Parameter:	GWP_{N2O}
Unit:	tCO ₂ e/tN ₂ O
Description:	Global warming potential of N ₂ O valid for the commitment period
Source of data:	According to the PDD / ACM0019 (Version 1)
Value(s) applied:	298 tCO₂e/tN₂O
Purpose of data:	Calculation of project emissions
Additional comment:	Valid from 01/01/2013 onwards, as per relevant CDM EB decisions. The value applicable before that date (310 tCO ₂ e/tN ₂ O) is not applicable to this project activity, since physical emission reduction has started in February 2013.

Data/Parameter:	R_u
Unit:	Pa.m ³ /kmol.K
Description:	Universal ideal gases constant
Source of data:	According to the PDD / "Tool to determine the mass flow of a greenhouse gas in a gaseous stream" (Version 2.0.0)
Value(s) applied:	8,314 Pa.m³/kmol.K
Purpose of data:	Calculation of project emissions
Additional comment:	-

Data/Parameter:	MM_i
Unit:	kg/kmol
Description:	Molecular mass of greenhouse gas i

Source of data:	According to the PDD / "Tool to determine the mass flow of a greenhouse gas in a gaseous stream" (Version 2.0.0)
Value(s) applied:	44.02 kg/kmol
Purpose of data:	Calculation of project emissions
Additional comment:	Value is applicable for N ₂ O

D.2. Data and parameters monitored

Data/Parameter:	P_{NA,n}
Unit:	tHNO ₃
Description:	Nitric acid produced in the monitoring period n
Measured/ Calculated/ Default:	Measured
Source of data:	<p>Production reports (based on measurements from project participants)</p> <p>The nitric acid flow and density are measured with a coriolis flow meter and concentration is determined based on measured parameters. Values are sent to the DCS (control room), and the nitric acid production (as 100% HNO₃) is calculated based on mass flow and HNO₃ concentration. Final production values are exported in production reports through the DeltaV System.</p> <p>Please refer also to <i>Section C – 1 (Information Flow)</i> of this Monitoring Report.</p>
Value(s) of monitored parameter:	<p>213,809 tHNO₃</p> <p>An excel book containing recorded hourly values (covered by this monitoring period), is attached as <i>Annex</i> to this Monitoring Report.</p>
Monitoring equipment:	<p>Meter location: Located in the nitric acid line, downstream of the absorption tower.</p> <p>325-FT-5-609 Type: Coriolis flow meter Accuracy class: ± 0.35% Serial number: 14290236 Calibration frequency: 60 Months Date of last (startup) calibration: 15/02/2013 (Validity 14/02/2018)</p>
Measuring/ Reading/ Recording Frequency:	<p>Measuring: Continuously Reading: Every 10 seconds Recording: Hourly</p>
Calculation method (if applicable):	-
QA/QC procedures:	<p>The maintenance methods and procedures for monitoring instruments used for CDM Monitoring have been incorporated as part of the ISO 9001 procedures of HU-CHEMS. Accordingly, calibration and maintenance are part of regular QA/QC of the nitric acid plant (please refer also to section C-3).</p> <p>Please refer also to <i>Section C – 3. Back Up plans / Emergency procedures for monitoring system</i> of this Monitoring Report and respective subitems <i>Back Up Plans for measuring systems / Periodically observation of the automated monitoring system</i>.</p>
Purpose of data:	Calculation of baseline emissions
Additional comment:	Parameter is automatically monitored.

Data/Parameter:	h_n
Unit:	-
Description:	Number of hours of operation in a monitoring period n
Measured/ Calculated/ Default:	Measured
Source of data:	<p>Measuring device (please refer to Monitoring equipment below)</p> <p>The flow of NH_3 to the ammonia oxidation reactor indicates the operational status. In case, the volume flow of NH_3 to the ammonia oxidation reactor lies above the threshold of 500 Nm³/h during an hour, the reactor is considered in operation. This check is traceably incorporated in the excel books attached as an <i>Annex</i> to this monitoring report.</p> <p>Please refer also to <i>Section C – 1 (Information Flow)</i> of this Monitoring Report.</p>
Value(s) of monitored parameter:	<p>4,511</p> <p>An excel book containing recorded hourly values (covered by this monitoring period), is attached as <i>Annex</i> to this Monitoring Report.</p>
Monitoring equipment:	<p>Meter location: Located in the ammonia supply line, upstream of the ammonia oxidation reactor.</p> <p>325-FT-5-520 Type: Coriolis flow meter Accuracy class: $\pm 0.35\%$ Serial number: 3198046 Calibration frequency: 60 Months Date of last (startup) calibration: 15/02/2013 (Validity 14/02/2018)</p>
Measuring/ Reading/ Recording Frequency:	<p>Measuring: Continuously Reading: Every 10 seconds Recording: Hourly</p>
Calculation method (if applicable):	-
QA/QC procedures:	<p>The maintenance methods and procedures for monitoring instruments used for CDM Monitoring have been incorporated as part of the ISO 9001 procedures of HU-CHEMS. Accordingly, calibration and maintenance are part of regular QA/QC of the nitric acid plant (please refer also to section C-3).</p> <p>Please refer also to <i>Section C – 3. Back Up plans / Emergency procedures for monitoring system</i> of this Monitoring Report and respective subitems <i>Back Up Plans for measuring systems / Periodically observation of the automated monitoring system</i>.</p>
Purpose of data:	Calculation of baseline and project emissions
Additional comment:	-

Data/Parameter:	$V_{t,db}$
Unit:	m ³ dry gas/h
Description:	Volumetric flow of the gaseous stream in time interval t on a dry basis
Measured/ Calculated/ Default:	Measured

Source of data:	Measuring device (please refer to Monitoring equipment below) Please refer also to <i>Section C – 1 (Information Flow)</i> of this Monitoring Report.
Value(s) of monitored parameter:	241,559 m³ dry gas / h The value represents an average over the monitoring period. An excel book containing recorded hourly values (covered by this monitoring period), is attached as <i>Annex</i> to this Monitoring Report.
Monitoring equipment:	Meter location: Located in the stack at the end of the tail gas line. 325-FT-5-522 Type: Differential pressure transmitter Accuracy class: $\pm 0.1\%$ of span Serial number: 1230726 Calibration frequency: 36 months (QAL2 reference measurement) Date of last calibration (QAL2): 25/02/2013 (Validity: 24/02/2016)
Measuring/ Reading/ Recording Frequency:	Measuring: Continuously Reading: Every 1 second Recording: Daily
Calculation method (if applicable):	-
QA/QC procedures:	The maintenance methods and procedures for monitoring instruments used for CDM Monitoring have been incorporated as part of the ISO 9001 procedures of HU-CHEMS. Accordingly, calibration and maintenance are part of regular QA/QC of the nitric acid plant (please refer also to section C-3). Calibration against a primary device provided by an independent accredited laboratory follows EN 14181 requirements (QAL2 reference measurement). Latest such calibration has been performed by AIRTEC in February 2013. Please refer also to <i>Section C – 3. Back Up plans / Emergency procedures for monitoring system</i> of this Monitoring Report and respective subitems <i>Back Up Plans for measuring systems / Periodically observation of the automated monitoring system</i> .
Purpose of data:	Calculation of project emissions
Additional comment:	-

Data/Parameter:	V_{i,t,db}
Unit:	m ³ gas i/m ³ dry gas
Description:	Volumetric fraction of greenhouse gas i in a time interval t on a dry basis
Measured/ Calculated/ Default:	Measured
Source of data:	Measuring device (please refer to Monitoring equipment below) Please refer also to <i>Section C – 1 (Information Flow)</i> of this Monitoring Report.
Value(s) of monitored parameter:	1.28*10⁻³ m³ N₂O / m³ dry gas The value represents an average over the monitoring period. An excel book containing recorded hourly values (covered by this monitoring period), is attached as <i>Annex</i> to this Monitoring Report.
Monitoring	Meter location: Sample take-off is located in the stack at the end of the tail

equipment:	<p>gas line. and leads (via sample gas line) to the locked analyser house where analyser and standard gases for calibrations are installed.</p> <p>325-AT-5-018 Type: NDIR Analyzer Accuracy class: $\pm 1\%$ (zero/span) Serial number: 6009203380370 Calibration frequency: 36 months (QAL2 reference measurement) Date of last calibration (QAL2): 25/02/2013 (Validity: 24/02/2016)</p>
Measuring/ Reading/ Recording Frequency:	<p>Measuring: Continuously Reading: Every 1 second Recording: Daily</p>
Calculation method (if applicable):	-
QA/QC procedures:	<p>The maintenance methods and procedures for monitoring instruments used for CDM Monitoring have been incorporated as part of the ISO 9001 procedures of HU-CHEMS. Accordingly, calibration and maintenance are part of regular QA/QC of the nitric acid plant (please refer also to section C-3).</p> <p>Calibration against a primary device provided by an independent accredited laboratory follows EN 14181 requirements (QAL2 reference measurement). Latest such calibration has been performed by AIRTEC in February 2013.</p> <p>Please refer also to <i>Section C – 3. Back Up plans / Emergency procedures for monitoring system</i> of this Monitoring Report and respective subitems <i>Back Up Plans for measuring systems / Periodically observation of the automated monitoring system</i>.</p> <p>Emerson Process Management Korea has been mandated to conduct monthly analyser health checks and quarterly inspection checks to ensure good instrument condition.</p>
Purpose of data:	Calculation of project emissions
Additional comment:	-
Data/Parameter:	T_t
Unit:	K
Description:	Temperature of the gaseous stream in time interval t
Measured/ Calculated/ Default:	Measured
Source of data:	<p>Measuring device (please refer to Monitoring equipment below)</p> <p>Please refer also to <i>Section C – 1 (Information Flow)</i> of this Monitoring Report.</p>
Value(s) of monitored parameter:	<p>406.51 K</p> <p>The value represents an average over the monitoring period. An excel book containing recorded hourly values (covered by this monitoring period), is attached as <i>Annex</i> to this Monitoring Report.</p>
Monitoring equipment:	<p>Meter location: Located in the ammonia oxidation reactor.</p> <p>325-TT-5-161 Type: Temperature transmitter</p>

	Accuracy class: $\pm 0.5^{\circ}\text{C} + (\pm 0.03\% \text{ of span})$ Serial number: 1820884 Calibration frequency: 24 months Date of last (startup) calibration: 15/02/2013 (Validity 14/02/2015)
Measuring/ Reading/ Recording Frequency:	Measuring: Continuously Reading: Every 1 second Recording: Hourly
Calculation method (if applicable):	-
QA/QC procedures:	The maintenance methods and procedures for monitoring instruments used for CDM Monitoring have been incorporated as part of the ISO 9001 procedures of HU-CHEMS. Accordingly, calibration and maintenance are part of regular QA/QC of the nitric acid plant (please refer also to section C-3). Please refer also to <i>Section C – 3. Back Up plans / Emergency procedures for monitoring system</i> of this Monitoring Report and respective subitems <i>Back Up Plans for measuring systems / Periodically observation of the automated monitoring system</i> .
Purpose of data:	Calculation of project emissions
Additional comment:	-
Data/Parameter:	P_t
Unit:	Pa
Description:	Pressure of the gaseous stream in time interval t
Measured/ Calculated/ Default:	Measured
Source of data:	Measuring device (please refer to Monitoring equipment below) Please refer also to <i>Section C – 1 (Information Flow)</i> of this Monitoring Report.
Value(s) of monitored parameter:	100,417 Pa The value represents an average over the monitoring period. An excel book containing recorded hourly values (covered by this monitoring period), is attached as <i>Annex</i> to this Monitoring Report.
Monitoring equipment:	Meter location: Located in the air compressor discharge line, upstream of the ammonia oxidation reactor. 325-PT-5-362 Type: Pressure transmitter Accuracy class: $\pm 0.1\%$ of span Serial number: 1230980 Calibration frequency: Monthly Calibrations have been conducted month by month for this device, starting with the (startup) calibration on 15/02/2013, as per requirements. Validity is always until the next month after calibration.
Measuring/ Reading/ Recording Frequency:	Measuring: Continuously Reading: Every 1 second Recording: Hourly
Calculation method (if applicable):	-
QA/QC procedures:	The maintenance methods and procedures for monitoring instruments used

	<p>for CDM Monitoring have been incorporated as part of the ISO 9001 procedures of HU-CHEMS. Accordingly, calibration and maintenance are part of regular QA/QC of the nitric acid plant (please refer also to section C-3).</p> <p>Please refer also to <i>Section C – 3. Back Up plans / Emergency procedures for monitoring system</i> of this Monitoring Report and respective subitems <i>Back Up Plans for measuring systems / Periodically observation of the automated monitoring system</i>.</p>
Purpose of data:	Calculation of project emissions
Additional comment:	-

D.3. Implementation of sampling plan

>>

No sampling plan is applicable to this project activity.

SECTION E. Calculation of emission reductions or GHG removals by sinks

All references to formulae and methods used are in compliance with ACM0019 (Version 1), applicable tools and the project documentation (PDD, monitoring plan) and are transparently shown in the excel book (Annex to this monitoring report). This excel book contains recorded monitored data, a comprehensive calculation of baseline emissions, project emissions and emission reductions with actual values (formulae of calculation are shown in the spreadsheet cells for ease of assessment).

E.1. Calculation of baseline emissions or baseline net GHG removals by sinks

>>

Baseline emissions are calculated by the following equation:

$$BE_n = P_{NA,n} * EF_{BL,N_2O,n} * GWP_{N_2O} * 10^{-3}$$

Where:

BE_n	=	Baseline emissions in monitoring period n (tCO ₂ e)
$P_{NA,n}$	=	Nitric acid produced in the monitoring period n (tHNO ₃)
$EF_{BL,N_2O,n}$	=	Baseline N ₂ O emission factor for nitric acid production in the monitoring period n (kgN ₂ O / tHNO ₃)
GWP_{N_2O}	=	Global Warming Potential of N ₂ O valid for the commitment period

Calculation result and parameters:

$*BE_n$	$PA_{NA,n}$	$EF_{BL,N_2O,n}$	GWP_{N_2O}	10^{-3}
tCO ₂ e	tHNO ₃	kgN ₂ O / tHNO ₃	tCO ₂ e	-
235,745	213,809	3.70	298	10^{-3}

*Value is conservatively rounded DOWN

Determination of the baseline N₂O emission factor

The baseline N₂O emission factor in the monitoring period n ($EF_{BL,N_2O,n}$) is determined as a default emission factor $EF_{default,y}$ given for each calendar year y (and available from the PDD / Methodology):

$$EF_{BL,N_2O,n} = EF_{default,y}$$

Since during this actual monitoring period only one calendar year of physical emission reduction is involved (the year 2013), also only one value single has to be considered for $EF_{default,y}$ which is 3.70 kgN₂O / tHNO₃ for the year 2013 (refer to the parameter tables under section D.1).

E.2. Calculation of project emissions or actual net GHG removals by sinks

>>

Project emissions are calculated by the following equation:

$$PE_n = PE_{N_2O,n} + PE_{CO_2,tertiary,n}$$

PE_n	=	Project emissions in monitoring period n (tCO ₂ e)
$PE_{N_2O,n}$	=	Project emissions of N ₂ O from the project plant in monitoring period n (tCO ₂ e)
$PE_{CO_2,tertiary,n}$	=	Project emissions of CO ₂ from the operation of the tertiary N ₂ O abatement facility in monitoring period n (tCO ₂)

As clearly described in the PDD, the project emissions of CO₂ from the operation of the tertiary N₂O abatement facility ($PE_{CO_2,tertiary,n}$) are set to zero due to the absence of this emission source in the project activity.

Calculation result and parameters:

PE_n	$PE_{N_2O,n}$	$PE_{CO_2,tertiary,n}$
tCO ₂ e	tCO ₂ e	tCO ₂ e
4,829	4,829	0

Project emissions of N₂O from the project plant (PE_{N₂O,n}) are calculated by the following equation:

$$PE_{N_2O,n} = (Q_{N_2O,tail\ gas,n} + Q_{N_2O,by-pass,n}) * GWP_{N_2O}$$

Where:

PE _{N₂O,n}	=	Project emissions of N ₂ O from the project plant in monitoring period n (tCO ₂ e)
Q _{N₂O,tail gas,n}	=	Amount of N ₂ O released through the tail gas of the project plant to the atmosphere in monitoring period n (tN ₂ O)
Q _{N₂O,by-pass,n}	=	Amount of N ₂ O released through the by-pass to a tertiary N ₂ O abatement system to the atmosphere in monitoring period n (tN ₂ O)
GWP _{N₂O}	=	Global Warming Potential of N ₂ O valid for the commitment period

As clearly described in the PDD, the amount of N₂O released through the by-pass to a tertiary N₂O abatement system to the atmosphere (Q_{N₂O,by-pass,n}) is set to zero due to the absence of this emission source in the project activity.

Calculation result and parameters:

**PE _{N₂O,n}	Q _{N₂O,tail gas,n}	Q _{N₂O,by-pass,n}	GWP _{N₂O}
tCO ₂ e	tN ₂ O	tN ₂ O	tCO ₂ e / tN ₂ O
4,829	16.20	0	298

*Value is conservatively rounded UP

Determination of Q_{N₂O,tail gas,n}

The amount of N₂O released through the tail gas of the project plant to the atmosphere (Q_{N₂O,tail gas,n}) is “Tool to determine the mass flow of a greenhouse gas in a gaseous stream”, whereas following provisions apply:

- Throughout the crediting periods of the project activity, the N₂O concentration and volume or mass flow of the tail gas are to be monitored continuously. The monitoring system is to be installed and maintained throughout the crediting period based on the European Norm 14181, or any more recent update of that standard;
- The monitoring system should provide separate hourly average values for the N₂O concentration and the volume or mass flow of the tail gas based on 2 seconds (or shorter) interval readings that are recorded and stored electronically. These N₂O data sets shall be identified by means of a unique time / date key indicating when exactly the values were observed;
- The correction factors derived from the calibration curve of the QAL2 audit for the monitoring components as determined during the QAL2-test in accordance with EN14181 must be applied to both the N₂O concentration and the volume or mass flow of the tail gas. This can either be applied automatically to the raw data recorded by the data storage system at the plant or it can be applied to the calculated hourly averages as part of the calculation of project emissions;
- If data for either the N₂O concentration or the volume or mass flow of the tail gas are not available for more than 1/3 of any hour while the plant was in operation, the value for that hour shall be replaced with the maximum value of N₂O concentration or volume or mass flow of the tail gas observed during the monitoring period. If data for neither the N₂O concentration nor the volume or mass flow of the tail gas are available for more than 1/3 of any hour while the plant was in operation, the maximum value of mass flow of N₂O calculated during the monitoring period shall be applied to any such hour. Values observed during five operating hours before and after a plant start-up and shut-down shall not be used for the determination of the maximum values;

The monitoring system as well as calculations and consideration of QAL2 calibration curve are fully implemented, the monitoring system are in full compliance with these provisions.

As furthermore stated in the PDD, following the “Tool to determine the mass flow of a greenhouse gas in a gaseous stream” the mass flow of greenhouse gas i in the gaseous stream in time interval t (F_{i,t}) is calculated based on measurements of

- the total volume flow or mass flow of the gas stream;
- the volumetric fraction of the gas in the gaseous stream; and
- the gas composition and water content.

The flow and volumetric fraction may be measured on a dry basis or wet basis. The tool covers the possible

measurement combinations, providing six different calculation options to determine the mass flow of a particular greenhouse gas (Option A to F).

As described in the PDD, the option chosen for this project activity is Option A, requiring to demonstrate, that the gaseous stream is dry, whereas the tool suggests two ways to do this:

- Measure the moisture content of the gaseous stream ($C_{H_2O,t,db,n}$) and demonstrate that this is less or equal to 0.05 kg H₂O/m³ dry gas; or
- Demonstrate that the temperature of the gaseous stream (T_t) is less than 60°C (333.15 K) at the flow measurement point.

In the case of this project activity, the first way has been chosen. Repeated measurements in line with the USEPA CF42 method 4 conducted by the company AIRTEC (which coincided with the QAL2 reference measurements) during 27/02/2013 to 28/02/2013 clearly showed, that the moisture content of the gaseous stream ($C_{H_2O,t,db,n}$) is below 0.004 kgH₂O / m³ dry gas, which is clearly below the threshold value of 0.05 kg H₂O/m³ dry gas.

Summarized ($Q_{N_2O,tail gas,n}$) is calculated as per following equation, following Option A of the mentioned tool:

$$Q_{N_2O,tail gas,n} = \sum_{h=1}^{h=h_n} F_{N_2O,tail gas,h} * 10^{-3}$$

$Q_{N_2O,tail gas,n}$	=	Amount of N ₂ O released through the tail gas of the project plant to the atmosphere in monitoring period n (tN ₂ O)
$F_{N_2O,tail gas,h}$ ³	=	Mass flow of N ₂ O in the gaseous stream of the tail gas in the hour h (kgN ₂ O/h)
h_n	=	Number of hours in monitoring period n during which the plant was in operation

The result of $Q_{N_2O,tail gas,n}$ over the monitoring period is basically the sum over hourly values of calculated mass flow of N₂O ($F_{N_2O,tail gas,h}$).

$Q_{N_2O,tail gas,n}$	$\sum F_{N_2O,tail gas,h}$	10^{-3}
tN ₂ O	kgN ₂ O	-
16.20	16,200	10^{-3}

The hourly values of $F_{N_2O,tail gas,h}$ (which in the tool is stated as $F_{i,t}$ but represents the same parameter) are calculated as per following formulae:

$$F_{i,t} = V_{t,db} * v_{i,t,db} * \rho_{i,t}$$

With

$$\rho_{i,t} = \frac{P_t * MM_i}{R_u * T_t}$$

Where:

$F_{i,t}$	=	Mass flow of greenhouse gas i in the gaseous stream in time interval t (kg gas/h)
$V_{t,db}$	=	Volumetric flow of the gaseous stream in time interval t on a dry basis (m ³ dry gas/h)
$v_{i,t,db}$	=	Volumetric fraction of greenhouse gas i in the gaseous stream in a time interval t on a dry basis (m ³ gas i/m ³ dry gas)
$\rho_{i,t}$	=	Density of greenhouse gas i in the gaseous stream in time interval t (kg gas i/m ³ gas i)
P_t	=	Absolute pressure of the gaseous stream in time interval t (Pa)
MM_i	=	Molecular mass of greenhouse gas i (kg/kmol)

³ $F_{N_2O,tail gas,h}$ corresponds to the parameter $F_{i,t}$ of the “Tool to determine the mass flow of a greenhouse gas in a gaseous stream” (Version 02.0.0).”

R_u	=	Universal ideal gases constant (Pa.m ³ /kmol.K)
T_t	=	Temperature of the gaseous stream in time interval t (K)

For calculation of $F_{N_2O, tailgas, h}$, as well as application of calibration curves or corrections to data in case of observations & events (as described in section B.1. / (c)) on an hourly basis, please refer to the excel book which is available as *Annex* to this monitoring report.

E.3. Calculation of leakage

>>

According to the methodology any leakage emissions sources are deemed to be negligible.

E.4. Summary of calculation of emission reductions or net anthropogenic GHG removals by sinks

Item	Baseline emissions or baseline net GHG removals by sinks (t CO ₂ e)	Project emissions or actual net GHG removals by sinks (t CO ₂ e)	Leakage (t CO ₂ e)	Emission reductions or net anthropogenic GHG removals by sinks (t CO ₂ e)
Total	235,745	4,829	0	230,916

The total emission reduction achieved by this project activity during the monitoring period is the difference between baseline emissions, project emissions and leakage emissions.

E.5. Comparison of actual emission reductions or net anthropogenic GHG removals by sinks with estimates in registered PDD

Item	Values estimated in ex-ante calculation of registered PDD	Actual values achieved during this monitoring period
Emission reductions or GHG removals by sinks (t CO₂e)	One year (for 2013): 421,789 Monitoring period (188 days): 217,250	230,916 (188 days)

Reason for the slight increase in actual emission reductions achieved during the current monitoring period compared to ex-ante calculation of the registered PDD is given in section E.6. below. It should be noted that the ex-ante estimation of emissions reductions in the PDD was generally based on conservative assumptions.

E.6. Remarks on difference from estimated value in registered PDD

>>

The slight increase of the actual emission reduction during the monitoring period compared to the corresponding ex-ante estimation according to the PDD is mainly because of the high efficiency of the EnviNOx system (values of about 99% are observed whereas 96% were estimated in the ex-ante calculation).

E.7. Actual emission reductions or net anthropogenic GHG removals by sinks during the first commitment period and the period from 1 January 2013 onwards

Item	Actual values achieved up to 31 December 2012	Actual values achieved from 1 January 2013 onwards
Emission reductions or GHG removals by sinks (t CO₂e)	0	230,916

- - - - -

Document information

<i>Version</i>	<i>Date</i>	<i>Description</i>
03.1	2 January 2013	Editorial revision to correct table in section E.5.
03.0	3 December 2012	Revision required to introduce a provision on reporting actual emission reductions or net anthropogenic GHG removals by sinks for the period up to 31 December 2012 and the period from 1 January 2013 onwards (EB70, Annex 11).
02.0	13 March 2012	Revision required to ensure consistency with the "Guidelines for completing the monitoring report form" (EB 66, Annex 20).
01	28 May 2010	EB 54, Annex 34. Initial adoption.
Decision Class: Regulatory		
Document Type: Form		
Business Function: issuance		
Keywords: monitoring report, performance monitoring		

ANNEX – Excel book for claiming Emission Reductions

An excel book containing monitored data and calculations of baseline emissions, project emissions and emission reductions as additional checks and information is attached as separate file:

HUC#5_MP01_UNFCCC_CONFIDENTIAL.xlsx