

Indicative simplified baseline and monitoring methodologies  
for selected small-scale CDM project activity categories

**TYPE I - RENEWABLE ENERGY PROJECTS**

*Note: Categories I.A, I.B and I.C involve renewable energy technologies that supply electricity, mechanical and thermal energy, respectively, to the user directly. Renewable energy technologies that supply electricity to a grid fall into category I.D.*

Follow the link for [General guidance](#) / [Abbreviations](#) / [Full version of appendix B](#)

**I.B. Mechanical energy for the user**

**Technology/measure**

9. This category comprises renewable energy technologies that supply individual households or users with a small amount of mechanical energy. These technologies include hydropower, wind power, and other technologies that provide mechanical energy, all of which is used on-site by the household or user, such as wind-powered pumps, solar water pumps, water mills and wind mills.

10. Where generation capacity is specified, it shall be less than 15MW. If the generation capacity is not specified, the estimated diesel-based electricity generating capacity that would be required to provide the same service or mechanical energy shall be less than 15 MW. In the case of irrigation where diesel-fuelled pumps are used directly, the cumulative rating of diesel-fuelled pumps shall not exceed 15 MW. The size of a diesel-based generator or a diesel pump that would be required shall be justified.

**Boundary**

11. The physical, geographical site of the renewable energy technology and the equipment that uses the mechanical energy produced delineates the project boundary.

**Baseline**

12. The simplified baseline is the estimated emissions due to serving the same load with a diesel generator consumption saved times the emission coefficient for diesel. The diesel emissions displaced annually are calculated either as:

(a) The power requirements times hours of operation per year times the emission factor for diesel generator systems in Table I.D.1

OR

(b) The diesel fuel consumption per hour times hours of operation per year times the default value for the emission coefficient for diesel fuel (3.2 kg CO<sub>2</sub> per kg of diesel fuel).

**Leakage**

13. If the renewable energy technology is equipment transferred from another activity, leakage calculation is required.

Indicative simplified baseline and monitoring methodologies  
for selected small-scale CDM project activity categories

*I.B. Mechanical energy for the user (Cont.)*

---

**Monitoring**

14. Monitoring shall consist of:

- (a) Recording annually the number of systems operating (evidence of continuing operation, such as on-going rental/lease payments could be a substitute); and
- (b) Estimating the annual hours of operation for the equipment that uses the mechanical energy produced, if necessary using sampling methods. Annual hours of operation can be estimated from total output (tonnes of grain milled) and output per hour if an accurate value of output per hour is available.

**Appendix B<sup>1</sup> of the simplified modalities and procedures for small-scale CDM project activities****INDICATIVE SIMPLIFIED BASELINE AND MONITORING METHODOLOGIES FOR  
SELECTED SMALL-SCALE CDM PROJECT ACTIVITY CATEGORIES****A. General guidance**

1. This appendix contains indicative simplified baseline and monitoring methodologies for selected small-scale CDM project activity categories, including recommendations for determining the project boundary, leakage, baseline and monitoring.
2. In accordance with paragraphs 15 and 16 of the simplified modalities and procedures for small-scale CDM project activities (annex II to decision 21/CP.8 contained in document FCCC/CP/2002/7/Add.3), project participants involved in small-scale CDM project activities may propose changes to the simplified baseline and monitoring methodologies specified in this appendix or propose additional project categories for consideration by the Executive Board. Project participants willing to submit a new small-scale project activity category or revisions to a methodology shall make a request in writing to the Board providing information about the technology/activity and proposals on how a simplified baseline and monitoring methodology would be applied to this category. The Board may draw on expertise, as appropriate, in considering new project activity categories and/or revisions of and amendments to simplified methodologies. The Executive Board shall expeditiously, if possible at its next meeting, review the proposed methodology. Once approved, the Executive Board shall amend appendix B.
3. In accordance with paragraph 28 of the simplified modalities and procedures for small-scale CDM project activities, a simplified baseline and monitoring methodology listed in this appendix may be used for a small-scale CDM project activity if project participants are able to demonstrate to a designated operational entity that the project activity would otherwise not be implemented due to the existence of one or more barrier(s) listed in attachment A of this appendix.
4. The appendix reflects the following guidance regarding equipment performance, project boundary, biomass projects, leakage and use of Intergovernmental Panel on Climate Change (IPCC) default values for emission coefficients.
5. Equipment performance: To determine equipment performance, project participants shall use:
  - (a) The appropriate value specified in appendix B;
  - (b) If the value specified in sub-paragraph (a) is not available, the national standard for the performance of the equipment type (project participants shall identify the standard used);
  - (c) If the value specified in sub-paragraph (b) is not available, an international standard for the performance of the equipment type, such as International Organization for Standardization (ISO) and International Electrotechnical Commission (IEC) standards (project participants shall identify the standard used);

---

<sup>1</sup> This appendix has been developed in accordance with the simplified modalities and procedures for small-scale CDM project activities (contained in annex II to decision 21/CP.8, see document FCCC/CP/2002/7/Add.3) and it constitutes appendix B to that document. For the full text of the annex II to decision 21/CP.8 please see reference/documents section on UNFCCC CDM web site <http://unfccc.int/cdm> ).

## Appendix B of the simplified modalities and procedures for small-scale CDM project activities

### Indicative simplified baseline and monitoring methodologies for selected small-scale CDM project activity categories

(d) If a value specified in sub-paragraph (c) is not available, the manufacturer's specifications provided that they are tested and certified by national or international certifiers.

6. Project participants have the option of using performance data from test results conducted by an independent entity for equipment installed under the project activity.

7. Project boundary: The project boundary shall be limited to the physical project activity. Project activities that displace energy supplied by external sources shall earn certified emission reductions (CERs) for the emission reductions associated with the reduced supply of energy by those external sources.

8. Biomass projects: In the case of project activities using biomass, leakage shall be considered.

9. In the cases where leakage is to be considered, it shall be considered only within the boundaries of non-Annex I Parties.

10. In the case of project participants using IPCC default values for emission coefficients, these shall be the most up-to-date values available in the "IPCC Good Practice and Guidance and Uncertainty Management in National Greenhouse Gas Inventories" and the "Revised 1996 IPCC Guidelines for National Greenhouse Gas Inventories". A link providing more updated information on IPCC default values for emission coefficients is available on the page for small-scale CDM project activities on the UNFCCC CDM web site: <http://unfccc.int/cdm/ssc.htm>.

## Appendix B of the simplified modalities and procedures for small-scale CDM project activities

### Indicative simplified baseline and monitoring methodologies for selected small-scale CDM project activity categories

---

#### Revision History of this document

This appendix has been developed in accordance with the simplified modalities and procedures for small-scale CDM project activities (contained in annex II to decision 21/CP.8, see document FCCC/CP/2002/7/Add.3) and it constitutes appendix B to that document. For the full text of the annex II to decision 21/CP.8 please see <http://unfccc.int/cdm.htm>. The first version was adopted by the Executive Board (EB) at its seventh meeting. This revision history was introduced with the second version of this document.

Version Number	Date	Description and reason of revision
02	2 December 2003	<i>- Incorporate amendments agreed by EB at its twelfth meeting - Layout changes in order to facilitate web publication and distribution: Each category of project types is presented in way that it may stand on its own with references to general guidance etc..</i>
03	30 June 2004	<i>- Incorporate amendments agreed by EB at its fourteenth meeting. Please see annex 2 of the report of EB14.</i>