

**gupta, ajoy (Kolkata)**

---

**From:** prabirsarkar@adhunikgroup.co.in  
**Sent:** Wednesday, April 08, 2009 5:44 PM  
**To:** gupta, ajoy (Kolkata)  
**Cc:** Pal, Kaushik (Kolkata)  
**Subject:** Fw: mail communication regarding clarification on waste gas monitoring  
**Importance:** High

Dear Ajoy,  
Please find attached the mail communication retrived from our local server regarding clarification on waste gas monitoring

*Thanks & Best regards,*

**PRABIR SARKAR**

(CDM Cell - Corporate Office)

**Adhunik Group of Industries**

"LANDSDOWNE TOWER"  
2/1A, SARAT BOSE ROAD  
KOLKATA-700020  
PHONE-+91-33-30517100  
MOBILE- +91-9903977782  
FAX- +91-33-22890285

e-mail: [prabirsarkar@adhunikgroup.co.in](mailto:prabirsarkar@adhunikgroup.co.in)

[www.adhunikgroup.com](http://www.adhunikgroup.com)

----- Forwarded by Prabir Sarkar/Adhunik on 04/08/2009 05:27 PM -----

**Rahul Kundu/Adhunik**

To Prabir Sarkar/Adhunik@AdhunikGroup

cc

04/08/2009 05:26 PM

Subject Fw:Clarification sought by DOE to Meth Panel Reg Waste Gas Measurement

Dear Prabir,  
For your info. pls.

Rahul Kundu

.....  
CORPORATE OFFICE  
ADHUNIK GROUP OF INDUSTRIES  
2/1A, LANDSDOWNE TOWERS,  
SARAT BOSE ROAD, KOLKATA - 20  
PH. 033-30517339 (D),  
Mob. +91 9903077789  
FAX. 033-22890285

----- Forwarded by Rahul Kundu/Adhunik on 04/08/2009 05:25 PM -----

**Payal Ghosh**

To: rahulkundu@adhunikgroup.co.in

cc:

02/16/2008 10:58 AM

Subject: Clarification sought by DOE to Meth Panel Reg Waste Gas Measurement

4/13/2009

Dear Rahul,

As discussed with you over telephone, we understand that waste gas flow measurement for the DRI of Adhunik Metaliks Ltd. (as required by ACM-12) may have technical limitation and suitable measuring device may not be available in the market. However, one of the validators (SGS, UK) has already raised the clarification (AM\_CLA\_0071) on 18th Jan.2008 to Meth Panel for further guidance on waste gas measurement. The same can be available at unfccc website.

We look forward for further guidance from the Meth Panel on waste gas measurement before we proceed for validation.

ERNST & YOUNG ®  
Ernst & Young Pvt. Ltd

Payal Ghosh  
Associate Consultant  
Risk and Business Solutions  
BRS \* ESS \* FIDS \* F&PM \* TSRS

---

Phone:	+91 - 33 – 2281 1224	Mobile:	+91 – 9830517388
Fax:	+91 – 33-2281 7750	URL:	<a href="http://www.ey.com/in">http://www.ey.com/in</a>

---

-----  
The information contained in this communication is intended solely for the use of the individual or entity to whom it is addressed and others authorized to receive it. It may contain confidential or legally privileged information. If you are not the intended recipient you are hereby notified that any disclosure, copying, distribution or taking any action in reliance on the contents of this information is strictly prohibited and may be unlawful. If you have received this communication in error, please notify us immediately by responding to this email and then delete it from your system. Ernst & Young is neither liable for the proper and complete transmission of the information contained in this communication nor for any delay in its receipt.

-----  
This e-mail and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed.

If you have received this e-mail in error please notify the originator of the message. This footer also confirms that this e-mail message has been scanned for the presence of computer viruses.

Any views expressed in this message are those of the individual sender, except where the sender specifies and with authority, states them to be the views of Adhunik Group of Industries.

Adhunik Group is neither liable for the proper and complete transmission of the information contained in this communication nor for any delay

4/13/2009

in its receipt.

For assistance, please contact e-mail: [rdatta@adhunikgroup.co.in](mailto:rdatta@adhunikgroup.co.in)