

Construction bureau of Chengdong Industrial Park in Jianli County

JianGongZhiHan[2010]3

Supplementary introduction on the industrial boilers in Chengdong Industrial Park

According to the development plan of Chengdong Industrial Park, the steam demand is about 50 t/h and the current steam-users companies are listed as below:

No	Owner	Current Status	Rate Capacity (t/h)	Commission starting date	Fuel/Average consumption during 2007 to 2009	Distance from the project	Coordinates
1	Dafeng Paper Co.,Ltd.	Existing	30	1997.7	Coal/ 18000 ton/year	3km	E112°55'47" N29°48'43"
2	Grandmother Pharmaceutical Co.,Ltd.	Existing	40	2002.7	Coal/ 24000 ton/year	3.5km	E112°56'25" N29°49'42"
3	Jianli Double Crane Pharmaceutical Co.,Ltd.	Existing	10	2001.11	Coal/ 6000 ton/year	1.6km	E112°54'56" N29°48'50"

All the boilers above are coal-fired boilers, which are having a negative impact on the local environment. Therefore, we, the Construction bureau of Chengdong Industrial Park requires that all the steam should be supplied by the Jianli Kaidi Biomass Power Plant after it is fully implementation. As a result, district heating and steam supply is achieved by the utilization of biomass residue, which is also good for the construction and promotion of "Green and environment friendly industrial park".

Construction bureau of Chengdong Industrial Park in Jianli County
2010-1-19 (Stamp)

监利县城东工业园区建设指挥部

监工指函〔2010〕3号

关于监利县城东工业园区企业锅炉情况的 补充说明

根据我工业园区的规划,我区区内的供热蒸汽需求量至少在 50T/H 以上,目前我区现有用汽企业如下:

序号	单位名称	情况说明	用汽量 (T/H)	锅炉启 用时间	距电厂 距离 (km)	年均耗煤 量(吨)	经纬度坐标
1	大枫纸业有限公司	已建 锅炉	30	1997.7	3	18000	E 112°55'47" N 29°48'43"
2	外婆家药业有 限公司	已建 锅炉	40	2002.7	3.5	24000	E 112°56'25" N 29°49'42"
3	监利滨湖双鹤 药业有限公司	已建 锅炉	10	2001.11	1.6	6000	E 112°54'56" N 29°48'50"

注:年均耗煤量为 2007—2009 年三年平均耗煤量

这些企业的自备锅炉及规划建设的锅炉均为燃煤锅炉,这些燃煤

小锅炉的使用会对周边的环境造成较大的影响，我部要求在监利凯迪绿色能源开发有限公司热电厂建成并正式开始供热后，以上用热企业采用凯迪生物质电厂提供的蒸汽，实现以生物质燃料电厂为主要热源的集中供热，建设绿色环保型开发区。

监利县城东工业园区建设指挥部

二〇一〇年一月十九日

